




Chillers

CZ17 Chiller

Air-cooled chiller with 240 kW cooling capacity, complete with internal water pump and buffer tank. This low-energy low-noise machine is ready for use. The machine is mounted in a robust frame with a shock-resistant grid for condenser protection and can be moved easily with a forklift or crane.

Technical specifications CZ17



| | | | | | |
|--------------------------------|----------|---------------------------------------|----------|------------------------------------|------------|
| Cooling capacity ¹ | 170 kW | Phases ² | 3 + A | Length ² | 4500 mm |
| Power consumption ¹ | 64.9 kW | Internal pump ² | Nee | Height ³ | 2520 mm |
| Current (nominal) ¹ | 109 A | Water connection ² | 4" Bauer | Weight ² | 2575 kg |
| Power connection ² | M10 bout | Maximum working pressure ² | 10 bar | Sound level (at 10 m) ² | 59.5 dB(A) |
| Voltage ² | 400 V | Nominal pressure drop ² | 24.8 kPa | Flow nominal (L/sec) ² | 8.2 L/sec |
| Recommended fuses ² | 160 A | Width ³ | 1170 mm | | |

¹ According to Eurovent specifications (cooling: water 12 °C/7 °C, air 35 °C)

² When additional reheating is utilised

³ Without top box 1620 x 780 x 1820